

EFFECTIVENESS OF BEE STING TO THE PENIS IN PENIS ENLARGEMENT AND DYSFUNCTION

MUSIBA PAUL KITEMA

International Apitherapist, Expat of api-toxin production and processing

Mobile: + (255) -688-579-858

Email: pkmusiba@yahoo.com

ORGANIZATION: TANZANIA INTERNATIONAL BEE

Abstract: The use of bees globally began many years ago, more than 4000 years ago bees and their products were used in medicine, but also in the era of physician Hippocrates and Galen, by the 1880s Apitherapy technology began to be more professionally developed by scientists, in countries like Australia a scientist Philipp Terc started writing his books on the effectiveness of bee venom on rheumatism disease, the ancients used bees and its products in treating various health problems, they used honey, wax, Propolis as well as royal jelly.

As science and technology become available, the use of bees and their products increases from various scientific studies to prove the medical effective of bees and its products in the human health

Recently, various studies have shown the great potential of bees in increasing Penis size as well as strengthening penis muscles, many years ago such countries as Egypt used the live bee sting therapy on penis as a way to enlarge their penis and strengthen the penis muscles, this method of therapy now has been researched here in Tanzania by an Apitherapist who is more experienced with more than three years in Apitherapy treatment, now the result shows effective of bee venom on penis enlargement and muscle strengthening.

Keywords: health problems, Apitherapy treatment, human health.

1. INTRODUCTION

Most of men have been severely affected by male dysfunction and small size of the penis, this problem is currently growing rapidly due to various reasons such as;

1. Unhealthily Life style
2. Use of excessive chemical medicines
3. Masturbation
4. Hormonal problems

All of these are among of the reasons of most men to be affected by dysfunction and a small size of penis (kibamia-local language), this problem has become very disgusting for many people due to making the victim feel uncomfortable, various scientists have continued to investigate on finding an answer or solution of this problem which will restore the penis to its normal state and make the victim feel better all the time. Most of men have experienced erectile dysfunction due to prolonged masturbation, which has resulted in erectile dysfunction and weak erection during sexual intercourse.

Through a group of 200 men aged 20-50 from Tanzania, I have been able to notice the Penis enlargement and muscle strengthen for at least a month, these tests have brought positive results for all 200 people where the penis size has increased from the original size, dysfunction improved, but also the penis has become stronger erection during sexual intercourse.

2. METHODS USED

In finding a simple and safe way to solve the problem, I used the live bee sting method on the penis, this method is safe and very effective because one bee is used only once and for one person, thus ensuring the safety of users of this method, a bee that is used to sting on the penis, will sting at once then can no longer sting.

But I also used 12-inch ruler measure, was to measure penis size (length and thickness) changes to determine how and to what extent the penis has increased in length and thickness.

Before starting the treatment session, the patient should be known his weight, age as well as the results of the allergic reaction on bee stin, this is help to determine his ability to control the number of stings per session and the reaction of bee venom in his body.

The tables below show how method done within four weeks:

	1ST WEEK	2ND WEEK	3RD WEEK	4TH WEEK
AMOUNT OF STINGS AFTER ALLERGIC TEST	2	2	3	5
BODY REACTION AGAINST BV	More -VE	Less -VE	Normal	Normal

3. RESULTS

I started to notice the result on Penis enlargement and muscle stiffness after one week, I did so for an eight-weeks, where by the patient was required daily to get two to five stings depending on the venom adaptation of the patient concerned, the results began to appear in the first week where 102 out of 200 patients began to improve erectile dysfunction during sexual intercourse, the second week all 200 patients began to improve in Penis size, in the third week the penis size was more increased same as to fourth week, all 200 men were able to have sex for more than 35 minutes with their penis increased to 1.1inch more.

	Before starting stings	1 st WEEK	2 nd WEEK	3 rd WEEK	4 th WEEK
SIZE INCREASE	-	0.3	0.6	0.9	1.1
TIME FOR ERECTION DURING SEXUL INTERCOURSE	3-5 minutes	10-15 minutes	15-20minutes	20-35minutes	35-60 minutes

4. DISCUSSION

Live bee sting on Penis has shown effective and faster results in solving small penis in size and dysfunction, the result is due to the chemical contents of bee venom (Api toxin), it contains substances within a strong mixture of enzymes and peptides, enzymes such as phospholipase A2, phospholipase B2, phosphatase and beta glycosidase, peptides like Melitin, apamin, adolapin, tartiopin, secapin and cardiopep, so the use of bee venom to the penis is intended to expand the blood veins in the penis and make the penis bigger and faster throughout sexual intercourse, additionally bee venom increases the volume of blood in a part of the penis called **CORPORA CAVERNOSA**, the volume of blood in this part of the penis stimulates the penis to last longer during erection without slackness or fatigue.

But also bee venom is source of strong ANTI-OXIDANT so the use of bee venom to the penis has led to increased production of new cells especially of the penis and lead to stronger erection. Various scientific studies have shown the effectiveness of bee venom in Human health including strengthening the body's immune system, so having a strong connection to bee venom increases the efficiency of the penis as it includes the same systems in blood system.

5. CONCLUSION

BEE STING can be used to solve the issue of small size of penis and erectile dysfunction, the use of bee venom requires a thorough understanding as each body has its own unique way of reacting on bee venom, sometimes sting of bees can cause serious harm to the body if the user does not follow the rules and procedures in using bee venom.

REFERENCES

- [1] Bee Stings. United States Department of Agriculture. Agricultural Research Service. April 2016
- [2] Hunt, GJ Flight and Fight: A Comparative View of the Neurophysiology and Genetics of Honey Bee Defensive Behavior. *Journal of Insect Physiology* 53 (2007) 399-410.
- [3] Bloch G, Francoy TM, Wachtel I, Panitz-Cohen N, Fuchs S, Mazar A. Industrial apiculture in the Jordan valley during Biblical times with Anatolian honeybees. *Proc Natl Acad Sci USA*. (2010) 107: 11240–4. doi: 10.1073 / pnas.1003265107
- [4] Chen J, Guan SM, Sun W, Fu H. Melittin, the major pain-producing substance of bee venom. *Neurosci Bull*. (2016) 32: 265–72. doi: 10.1007 / s12264-016-0024-y
- [5] Hossen MS, Shapla UM, Gan SH, Khalil MI. Impact of bee venom enzymes on diseases and immune responses. *Molecules*. (2016) 22: 1–16. doi: 10.3390 / molecules22010025
- [6] Fratellone PM Apitherapy Products for Medicinal Use. *J. Nutr. Food Sci*. 2015; 5 doi: 10.1089 / acm.2015.0346.
- [7] Trumbeckaite S., Dauksiene J., Bernatoniene J., Janulis V. Knowledge, attitudes, and usage of apitherapy for disease prevention and treatment among undergraduate pharmacy students in Lithuania. *Evid.-Based Complement. Altern. Med*. 2015; 9 doi: 10.1155 / 2015/172502
- [8] Bellik Y. Bee Venom: Its potential use in alternative medicine. *Anti-Infect. Agents*. 2015; 13: 3–16. doi: 10.2174 / 2211352513666150318234624.
- [9] Keith DJ, Eshleman AJ, Janowsky A. Melittin stimulates fatty acid release through non-phospholipase-mediated mechanisms and interacts with the dopamine transporter and other membrane spanning proteins. *Eur. J. Pharmacol*. 2011; 650: 501–510. doi: 10.1016 / j.ejphar.2010.10.023.
- [10] Cherniack EP, Govorushko S. To bee or not to bee: The potential efficacy and safety of bee venom acupuncture in humans. *Toxicon*. 2018; 154: 74–78. doi: 10.1016 / j.toxicon.2018.09.013.
- [11] Silva, J; Monge-Fuentes, V; Gomes, F; Lopes, K; Dos Anjos, L; Campos, G; Arenas, C; Biolchi, A; Gonçalves, J; Galante, P; Campos, L; Mortari, M (2015). "Pharmacological Alternatives for the Treatment of Neurodegenerative Disorders: Wasp and Bee Venoms and Their Components as New Neuroactive Tools". *Toxins*. 7 (8): 3179–3209. doi:10.3390 / toxins7083179. PMC4549745. PMID26295258.
- [12] Wilson, Bee (June 2006) [2004]. *The Hive: The Story of the Honeybee and Us* (1st US ed.). Thomas Dunne Books. ISBN0-312-34261-6 - via Internet Archive.