

Solutions of a Fractional Algebraic Equation

Chii-Huei Yu

School of Mathematics and Statistics,
Zhaoqing University, Guangdong, China

DOI: <https://doi.org/10.5281/zenodo.7615448>

Published Date: 07-February-2023

Abstract: In this paper, based on a new multiplication of fractional analytic functions, we solve a fractional algebraic equation. The solutions of this fractional algebraic equation can be obtained by using some methods. In fact, the solutions are generalizations of the traditional algebraic equation solutions.

Keywords: New multiplication, Fractional analytic functions, Fractional algebraic equation.

I. INTRODUCTION

Fractional calculus is the theory of derivative and integral of non-integer order, which can be traced back to Leibniz, Liouville, Grunwald, Letnikov and Riemann. Fractional calculus has been attracting the attention of scientists and engineers from long time ago, and has been widely used in physics, mechanics, control theory, viscoelasticity, electrical engineering, biology, economics and other fields [1-13].

In this paper, based on a new multiplication of fractional analytic functions, we study a fractional algebraic equation. Using some techniques, we can find the solutions of this fractional algebraic equation. Moreover, our result is a generalization of the result of ordinary algebraic equation.

II. PRELIMINARIES

Definition 2.1 ([14]): Suppose that x and a_k are real numbers for all k , and $0 < \alpha \leq 1$. If the function $f_\alpha: [a, b] \rightarrow R$ can be expressed as an α -fractional power series, that is, $f_\alpha(x^\alpha) = \sum_{k=0}^{\infty} \frac{a_k}{\Gamma(k\alpha+1)} x^{k\alpha}$, then we say that $f_\alpha(x^\alpha)$ is α -fractional analytic function.

In the following, we introduce a new multiplication of fractional analytic functions.

Definition 2.2 ([15]): If $0 < \alpha \leq 1$. Suppose that $f_\alpha(x^\alpha)$ and $g_\alpha(x^\alpha)$ are two α -fractional analytic functions,

$$f_\alpha(x^\alpha) = \sum_{k=0}^{\infty} \frac{a_k}{\Gamma(k\alpha+1)} x^{k\alpha} = \sum_{k=0}^{\infty} \frac{a_k}{k!} \left(\frac{1}{\Gamma(\alpha+1)} x^\alpha \right)^{\otimes k}, \tag{1}$$

$$g_\alpha(x^\alpha) = \sum_{k=0}^{\infty} \frac{b_k}{\Gamma(k\alpha+1)} x^{k\alpha} = \sum_{k=0}^{\infty} \frac{b_k}{k!} \left(\frac{1}{\Gamma(\alpha+1)} x^\alpha \right)^{\otimes k}. \tag{2}$$

Then

$$\begin{aligned} & f_\alpha(x^\alpha) \otimes g_\alpha(x^\alpha) \\ &= \sum_{k=0}^{\infty} \frac{a_k}{\Gamma(k\alpha+1)} x^{k\alpha} \otimes \sum_{m=0}^{\infty} \frac{b_m}{\Gamma(m\alpha+1)} x^{m\alpha} \\ &= \sum_{k=0}^{\infty} \frac{1}{\Gamma(k\alpha+1)} \left(\sum_{m=0}^k \binom{k}{m} a_{k-m} b_m \right) x^{k\alpha}. \end{aligned} \tag{3}$$

Equivalently,

$$\begin{aligned}
 & f_\alpha(x^\alpha) \otimes g_\alpha(x^\alpha) \\
 &= \sum_{k=0}^{\infty} \frac{a_k}{k!} \left(\frac{1}{\Gamma(\alpha+1)} x^\alpha\right)^{\otimes k} \otimes \sum_{k=0}^{\infty} \frac{b_k}{k!} \left(\frac{1}{\Gamma(\alpha+1)} x^\alpha\right)^{\otimes k} \\
 &= \sum_{k=0}^{\infty} \frac{1}{k!} \left(\sum_{m=0}^k \binom{k}{m} a_{k-m} b_m\right) \left(\frac{1}{\Gamma(\alpha+1)} x^\alpha\right)^{\otimes k}. \tag{4}
 \end{aligned}$$

Definition 2.3 ([16]): If $0 < \alpha \leq 1$, and $f_\alpha(x^\alpha)$, $g_\alpha(x^\alpha)$ are two α -fractional analytic functions. Then $(f_\alpha(x^\alpha))^{\otimes n} = f_\alpha(x^\alpha) \otimes \dots \otimes f_\alpha(x^\alpha)$ is called the n th power of $f_\alpha(x^\alpha)$. Moreover, if $f_\alpha(x^\alpha) \otimes g_\alpha(x^\alpha) = 1$, then $g_\alpha(x^\alpha)$ is called the \otimes reciprocal of $f_\alpha(x^\alpha)$, and is denoted by $(f_\alpha(x^\alpha))^{\otimes -1}$.

III. MAIN RESULT

In this section, we solve a fractional algebraic equation.

Problem 3.1: Let $0 < \alpha \leq 1$, and $(-1)^\frac{1}{\alpha}$ exists. Find the solutions of the 4-th order α -fractional algebraic equation

$$2 \cdot \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 4} + \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right] - 4 \cdot \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes 2} = 0. \tag{5}$$

Solution Both sides of this equation are divided by $\left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes 2}$, then

$$2 \cdot \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes -1} + \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes -1} - 4 = 0. \tag{6}$$

Let $\frac{1}{\Gamma(\alpha+1)} t^\alpha = \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes -1}$, we have

$$2 \cdot \left[\frac{1}{\Gamma(\alpha+1)} t^\alpha\right]^{\otimes 2} + \frac{1}{\Gamma(\alpha+1)} t^\alpha - 4 = 0. \tag{7}$$

That is,

$$\frac{4}{\Gamma(2\alpha+1)} t^{2\alpha} + \frac{1}{\Gamma(\alpha+1)} t^\alpha - 4 = 0. \tag{8}$$

Therefore,

$$\begin{aligned}
 t^\alpha &= \frac{-\frac{1}{\Gamma(\alpha+1)} \pm \sqrt{\left[\frac{1}{\Gamma(\alpha+1)}\right]^2 + \frac{64}{\Gamma(2\alpha+1)}}}{\frac{8}{\Gamma(2\alpha+1)}} \\
 &= \frac{-\frac{\Gamma(2\alpha+1)}{\Gamma(\alpha+1)} \pm \sqrt{\left[\frac{\Gamma(2\alpha+1)}{\Gamma(\alpha+1)}\right]^2 + 64 \cdot \Gamma(2\alpha+1)}}{8} \\
 &= \frac{-\Gamma(2\alpha+1) \pm \sqrt{[\Gamma(2\alpha+1)]^2 + 64 \cdot [\Gamma(\alpha+1)]^2 \cdot \Gamma(2\alpha+1)}}{8 \cdot \Gamma(\alpha+1)}. \tag{9}
 \end{aligned}$$

Hence,

$$\begin{aligned}
 & \left[\frac{1}{\Gamma(\alpha+1)} x^\alpha\right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1\right]^{\otimes -1} \\
 &= \frac{1}{\Gamma(\alpha+1)} t^\alpha \\
 &= \frac{-\Gamma(2\alpha+1) \pm \sqrt{[\Gamma(2\alpha+1)]^2 + 64 \cdot [\Gamma(\alpha+1)]^2 \cdot \Gamma(2\alpha+1)}}{8 \cdot [\Gamma(\alpha+1)]^2}. \tag{10}
 \end{aligned}$$

Let $\lambda_{1,2} = \frac{-\Gamma(2\alpha+1) \pm \sqrt{[\Gamma(2\alpha+1)]^2 + 64 \cdot [\Gamma(\alpha+1)]^2 \cdot \Gamma(2\alpha+1)}}{8 \cdot [\Gamma(\alpha+1)]^2}$, then

$$\left[\frac{1}{\Gamma(\alpha+1)} x^\alpha \right]^{\otimes 2} \otimes \left[3 \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha + 1 \right]^{\otimes -1} = \lambda_{1,2} . \tag{11}$$

We obtain

$$\left[\frac{1}{\Gamma(\alpha+1)} x^\alpha \right]^{\otimes 2} - 3 \cdot \lambda_{1,2} \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha - \lambda_{1,2} = 0 . \tag{12}$$

That is,

$$\frac{2}{\Gamma(2\alpha+1)} x^{2\alpha} - 3 \cdot \lambda_{1,2} \cdot \frac{1}{\Gamma(\alpha+1)} x^\alpha - \lambda_{1,2} = 0 . \tag{13}$$

Thus,

$$\begin{aligned} x^\alpha &= \frac{3 \cdot \lambda_{1,2} \pm \sqrt{9 \cdot \lambda_{1,2}^2 + \frac{8}{\Gamma(2\alpha+1)} \lambda_{1,2}}}{\frac{4}{\Gamma(2\alpha+1)}} \\ &= \frac{3 \cdot \Gamma(2\alpha+1) \cdot \lambda_{1,2} \pm \sqrt{9 [\Gamma(2\alpha+1)]^2 \cdot \lambda_{1,2}^2 + 8 \cdot \Gamma(2\alpha+1) \cdot \lambda_{1,2}}}{4} . \end{aligned} \tag{14}$$

Finally, we get

$$x = \left[\frac{3 \cdot \Gamma(2\alpha+1) \cdot \lambda_{1,2} \pm \sqrt{9 [\Gamma(2\alpha+1)]^2 \cdot \lambda_{1,2}^2 + 8 \cdot \Gamma(2\alpha+1) \cdot \lambda_{1,2}}}{4} \right]^{\frac{1}{\alpha}} . \tag{15}$$

IV. CONCLUSION

In this paper, based on a new multiplication of fractional analytic functions, we solve a fractional algebraic equation. In fact, the fractional algebraic equation is a generalization of classical algebraic equation. By some techniques, we can find the solutions of this fractional algebraic equation. In the future, we will continue to use the new multiplication of fractional analytic functions to solve the problems in engineering mathematics and fractional calculus.

REFERENCES

- [1] R. Magin, Fractional calculus in bioengineering, part 1, Critical Reviews in Biomedical Engineering, vol. 32, no.1, pp.1-104, 2004.
- [2] R. Hilfer, Ed., Applications of fractional calculus in physics, World Scientific Publishing, Singapore, 2000.
- [3] J. A. T. Machado, Analysis and design of fractional-order digital control systems, Systems Analysis Modelling Simulation, vol. 27, no. 2-3, pp. 107-122, 1997.
- [4] H. A. Fallahgoul, S. M. Focardi and F. J. Fabozzi, Fractional calculus and fractional processes with applications to financial economics, theory and application, Elsevier Science and Technology, 2016.
- [5] Mohd. Farman Ali, Manoj Sharma, Renu Jain, An application of fractional calculus in electrical engineering, Advanced Engineering Technology and Application, vol. 5, no. 2, pp, 41-45, 2016.
- [6] J. T. Machado, Fractional Calculus: Application in Modeling and Control, Springer New York, 2013.
- [7] E. Soczkiewicz, Application of fractional calculus in the theory of viscoelasticity, Molecular and Quantum Acoustics, vol.23, pp.397-404, 2002.
- [8] M. F. Silva, J. A. T. Machado, and I. S. Jesus, Modelling and simulation of walking robots with 3 dof legs, in Proceedings of the 25th IASTED International Conference on Modelling, Identification and Control (MIC '06), pp. 271-276, Lanzarote, Spain, 2006.
- [9] M. Teodor, Atanacković, Stevan Pilipović, Bogoljub Stanković, Dušan Zorica, Fractional Calculus with Applications in Mechanics: Vibrations and Diffusion Processes, John Wiley & Sons, Inc., 2014.

International Journal of Novel Research in Engineering and Science

Vol. 9, Issue 2, pp: (40-43), Month: September 2022 - February 2023, Available at: www.noveltyjournals.com

- [10] C. -H. Yu, A study on fractional RLC circuit, International Research Journal of Engineering and Technology, vol. 7, no. 8, pp. 3422-3425, 2020.
- [11] C. -H. Yu, A new insight into fractional logistic equation, International Journal of Engineering Research and Reviews, vol. 9, no. 2, pp.13-17, 2021.
- [12] F. Duarte and J. A. T. Machado, Chaotic phenomena and fractional-order dynamics in the trajectory control of redundant manipulators, Nonlinear Dynamics, vol. 29, no. 1-4, pp. 315-342, 2002.
- [13] F. Mainardi, Fractional Calculus: Theory and Applications, Mathematics, vol. 6, no. 9, 145, 2018.
- [14] C. -H. Yu, Study of fractional analytic functions and local fractional calculus, International Journal of Scientific Research in Science, Engineering and Technology, vol. 8, no. 5, pp. 39-46, 2021.
- [15] C. -H. Yu, A study on a fractional algebraic problem, International Journal of Novel Research in Computer Science and Software Engineering, vol. 10, no. 1, pp. 18-21, 2023.
- [16] C. -H. Yu, Research on a fractional exponential equation, International Journal of Novel Research in Interdisciplinary Studies, vol. 10, no. 1, pp. 1-5, 2023.